




for Shagwan
City Engineer
Building Permission Dept.
PCMC., Pimpri, Pune-18.



TOTAL F.S.I. STATEMENT (BLDG-J)				
FLOOR	Residential	LIFT	FIRE LIFT	TENT
GR.PARKING	61.41	3.98	4.63	-
TOTAL	61.41	3.98	4.63	0

WATER AREA CALCULATION (BLDG-J)			
AMOUNT OF WATER REQUIRED PER PERSON	=	135	lts/day
WATER REQUIRED PER FLAT(5 PERSONS/FLAT)	=	675	lts/day
NO OF FLATS IN BLDG.	=	0	NOS
REQUIRED CAPACITY OF OVERHEAD WATER TANK	=	0	lts/day
REQUIRED CAPACITY TO UGWT	=	0	lts/day

SCHEDULE OF OPENING					
TYPE	SIZE		TYPE	SIZE	
	WIDTH	HEIGHT		WIDTH	HEIGHT
D	1.05	2.40	W	2.45	1.9
D1	0.90	2.40	W1	2.10	1.9
D2	0.80	2.40	W2	1.50	1.9
FD	1.20	2.40	W3	1.85	1.2
SD	2.60	2.40	W4	1.65	1.9
RS1	3.70	2.40	V	0.65	1.2
RS2	2.80	2.40			
RS3	6.55	2.40			
RS4	3.25	2.40			
RS5	3.90	2.40			

PROPOSED & REVISED BUILDING ON 27/1, 27/2A,
CTS.NO.6260(P) TO 6266(P) AT THERGAON,
TAL.-MULSHI, DIST.- PUNE

Owner's Name
**SUKHWANI CHAWLA
CONSTRUCTION**

Architect(s)' Name
Hrishikesh Kulkarni : CA/2002/29235
Raksha Bisen : CA/2005/36014



VK:a
architecture

5th Floor, Nextgen Avenue, Sr.No.103(p),
C.T.S No.2850, S.B.Road, Near ICC Trade
Tower, Bahiratwadi, Pune-411016.

P +91 20 6626 8888

E-mail: mail@vkarch.com
W www.vkarch.com

Drawing Title
TERRACE FLOOR

Scale
1:100
at
A1-841X594

Drawn by
Anand

Anand	Raksha
-------	--------

Job no.
2072

Status
FOR BP-PCMC-UDCPR20